



Dimock Daily Report - May 3, 2012

LaRonda Koffi to: Kathy Hodgkiss

05/03/2012 02:39 PM

From: LaRonda Koffi/R3/USEPA/US
To: Kathy Hodgkiss/R3/USEPA/US@EPA

Date: May 3, 2012

FIELD ACTIVITY

Water Supply (Gerald Heston)

- Provision of alternate water continues to keep water tanks filled.

Water Sampling (Gerald Heston)

- No homes sampled today; no additional homes scheduled.

Dimock Sampling Summary			
Week	Homes		Proposed for resampling
	Homes Sampled	Receiving Water	
1	11	3	5
2	20	0	3
3	17	0	4
4	9	1	2
5	4	0	1
Totals	61	4	15

Note: Proposed for resampling includes homes receiving alternate water from EPA plus homes where one or more metals were found at concentrations near or above the trigger level established for that metal. Total number of homes to be resampled is subject to final comprehensive review of 1st round results.

COMMUNICATIONS (Gerald Heston/Helen Duteau)

- Site team continues to finalize other data packages in preparation for roll-out over the next several weeks.
- The Community Involvement Coordinator (CIC) has begun writing the Community Involvement Plan (CIP) for the site. A CIP is required for all removal actions expected to exceed 120 days.
- The CICs will demobilize today and return next week in anticipation of delivering the next round of data packages.

CONGRESSIONAL

- None reported.

LEGAL ISSUES

- None reported.

Please let me know if you have questions.